
SILAGE MASTER 3000 THE PROCESSING MONSTER 3000









Revolutionizing the Livestock Sector Through Quality Feeds

Vision

Ensuring availability of quality and affordable silage through use of innovative technologies.

Mission

To provide efficient silage -making technologies, ensuring quality fodder for farmers.

SILAGE MASTER 3000 THE PROCESSING MONSTER



Why

SILAGE MASTER 3000 THE PROCESSING MONSTER 3000

Increases production of agroecological specific cultivars:

 promotes use of climate-resilient crop varieties to help farmers adapt to climate change.

High processing capacity:

- capable of producing *Upto 10,000 kgs* of *silage per hour*.

Increases efficiency and reduces wastage:

- performs multiple processes by chopping, mixing, conveying, weighing, compacting, vacuuming and sealing

Appropriate packaging

25 - 50Kgs packed bag for easy transportation and storage

Quality

Vacuuming retains quality, extended 2 years shelf life, mitigates against drought

Silage from SILAGE MASTER 3000 has very high nutrition retention, excellent fermentation efficiency, no storage losses, very high ease of handling, very excellent quality, bags can be reused and very low cost of ensiling

SILAGE MASTER 3000

 Vaccum and sealing that reduces wastage and extends the shelf life of the product (up to 2 years).

CHOPPING . Chops silage materials

into 3 to 8 cm.

· Creates an oxygen free environment that preserves and enhances storage, thus reducing spoilage through moulds.

MEICHINC

Combines various 'fodder' crops and additives into a chopped feed to create a high-quality feed for

livestock.

· Packages bags of 25-50 kas that ensures quality control, and accurate inventory management.

Specifications

- Machine Type: Mobile Type fitted with 1000kg mixer
- Processing Capacity: Upto 10,000 kg per hour.
- Filling Range: 25 -50 Kgs.
- Power Requirements: 25 KV 3 phase @380V (15KV for Chopping, 10KV for processing)
- Operating System: PLC Windows 7 with touch screen controls (with ethernet remote access).
- Weighing System: Load cell
- Compression: Double sided unit 8 bar
- **Recording:** Daily production master report.
- Vacuuming: Time adjustable unit 0 10 sec
- Warranty: 2 years.
- Quality Control: EU Standards.

FILLING

• Fills bags upto 200-240 bags/hour which ensures efficiency and reduces on labor costs.

Uses a computerized conveyor to automate the whole process from start to finish.

SILAGE MASTER 3000 THE PROCESSING MONSTER

C. TURKEY

+90 533 732 2665 +90 535 841 1967

Website: www.silagemaster.com

≕; KENYA

EASTERN BYPASS. P.O BOX: 1473 — 00600. NAIROBI

+254 722 355 841